


# Girplus Supra

Automatic Welding  
Machine for net bags

New system  
for a better  
treatment  
of the  
product



*\*This picture shows as accessories right  
dispenser and Gircod label machine.*





**Empac**  
Grupo Giró

# Girplus S

*The Girplus Supra automatic welding machine for net bags introduces a new net feeding system to improve the handling of delicate fruit during the packaging process.*

*The new design of the net tube eliminates the fruit falling and bumping together making the Girplus Supra ideal for soft citrus fruit and other delicate products such as tomatoes, peppers, apples and kiwi fruit.*



*The new design net tube feeds the net from the top of the tube, so that the fruit is received directly into the net and is controlled as it is rapidly transported to the welding position ensuring the possibility of damage is eliminated.*

*The new design of the Girplus Supra net tube allows twice the amount of net to be loaded from the previous model reducing the number of net changes, which increases the average packs per minute produced.*

**Sequence of  
new  
process**

# upra

The Girplus Supra is compatible with a wide range of weighing machines. Outer film is available in 90 mm and 120 mm widths and inner film in 50 mm. Their length of 1000 meters increases the productivity. The Girplus Supra can produce packs from 500 grams up to 4 kilos.

All popular pack styles can be produced:




The machine can also produce packs which are a combination of the various standard styles, with film on one side only, film on both sides, allowing endless possibilities for marketing and publicity.

Further variations can be achieved by employing special diameter tubes so "fruit in a line" and many other special packs can be produced.

# Gircod

*Electronic Thermal label printer  
and dispenser*



**Label sizes:**

68 x 43 mm.

78 x 43 mm.

78 x 66 mm.

*Designed for the Girplus machine the Gircod can print electronic point of sale information on to a self adhesive label and automatically apply them to each pack during production.*

*The Gircod label printer is controlled by a programming console, with screen and alphanumeric keyboard which allows labels to be designed in a range of fonts. It can command up to 10 labelling machines.*

*A second labelling machine can be fitted to the right hand side of the Girplus Supra to apply pre-printed promotional labels.*



**Promotional  
label**



**Label  
with  
Ean code**

# upra

## Technical Features

### Measurements

Length 1.810 mm

Width 810 mm

Height 1.875 mm

Weight 280 Kg

### Pneumatical Installation

Pressure: min. 6/7 Kg/cm<sup>2</sup>

Air consumption:

50 lt. Cycle

Average consumption:

1.000 lt. min.

### Capacity

De 20 - 24


bags per minute

### Electrical Installation

Voltage 220/380/415 V

Frequency 50/60 Hz

Consumption 1,5 Kw/h



The Hub's Engineering Pte Ltd

231 Ubi Avenue 4, Intrepid Warehouse Complex  
Singapore 408817

Tel: (65) 6749 1911 Fax: (65) 6749 4476

Service Hotline: (65) 9007 0799

Email: hubsales@hubs.com.sg